

Priority Principle™: Achilles Tendinitis



Acute




Chronic




Swelling



Inflammation



Spasm




Pain



Tissue Repair



ROM



Functional Strength






Method	Dose	Notes
 Acute	5-1000 Hz x 3 minutes	"Rescue" for injuries <48 hours




Priority Principle™: Achilles Tendinitis



Method	Dose	Notes
 Inflammation	50 Hz x 2 minutes or TARGET/DOSE	
 Spasm	1000 Hz x 2 minutes per spasm	Pontinen's Principle
 Pain	500-1000 Hz for 3 minutes -----or 1000 Hz x 2-5 minutes	Systemic target (NRT) -----or Local targets



Priority Principle™: Achilles Tendinitis



Method	Dose	Notes
 Tissue Repair	5-250 Hz for 2 minutes or TARGET/DOSE -----and 50 Hz x 5 minutes	Local targets -----and Systemic target (PHT) at Popliteal artery



Priority Principle™: Achilles Tendinitis



	Method	Dose	Notes
	Acute	5-1000 Hz x 3 minutes	"Rescue"
	Inflammation	50 Hz x 2 minutes or TARGET/DOSE	
	Spasm	1000 Hz x 2 minutes per spasm	Pontinen's Principle
	Pain	500-1000 Hz for 3 minutes -----or 1000 Hz x 2-5 minutes	Systemic target (NRT) -----or Local targets
	Tissue Repair	5-250 Hz for 2 minutes or TARGET/DOSE -----and 50 Hz x 5 minutes	Local targets -----and Systemic target (PHT) at Popliteal artery